



REQUEST FOR PRICE QUOTATION

RFQ No. BAC- 2022-05-008

Date: _____
 Name of Company: _____
 Address: _____
 Business Permit No.: _____ TIN No. _____
 PhilGEPS Registration No.: _____

Please quote your lowest net price, taxes included for the item/s described below and submit your **signed and sealed** quotation to the DOLE- BAC Secretariat at 2nd Floor, DOLE Main Building, Intramuros, Manila not later than **11:30 a.m.** on MAY 31 2022, 2022 at which date and time, all submitted quotations will be opened. Late bids shall not be accepted.

Approved Budget for the Contract is **Php 155,250.00**

↓
ALEX V. AVILA
 Assistant Secretary
 and Vice-Chairperson, BAC

After having carefully read and accepted the Terms and Conditions, I/we submit our quotation/s for the item/s as follows:

QTY./UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
Lot 1 1 pc	SUPPLY AND DELIVERY OF VARIOUS ICT EQUIPMENT FOR BWSC COMPUTER NETWORK Wireless LTE Router Network Standard: IEEE 802.11a/b/g, WiFi 4 (802.11n) WiFi 5 (802.11ac), WiFi 6 (802.11ax), IPV4, IPV6 Operating Frequency: 2.4 Ghz, 5 Ghz, Data Rate 802.11a: up to 54 Mbps, 802.11b: up to 11 Mbps, 802.11g: up to 54 Mbps, WiFi 4 (802.11n) : up to 300 Mbps, WiFi 5 (802.11ac) : up to 867 Mbps, WiFi 6 (802.11ax) (2.4GHz) : up to 574 Mbps, and 802.11ax (5GHz) : up to 1201 Mbps Processor 1.5GHz quad-core processor Transmit Receive: 2.4 Ghz 2x2, 5 Ghz 2x2 Ports RJ45 for Gigabits BaseT for WAN x 1 RJ45 for Gigabits BaseT for LAN x 4	P _____	P _____

<p>5 Boxes</p> <p>12 pcs.</p> <p>1 pc.</p> <p>1 pc.</p> <p>3 pcs.</p> <p>4 pcs.</p> <p>4 pcs.</p>	<p>Wireless MU-MIMO : Yes, Wi-Fi Encryption : Open system, WPA/WPA2-Personal, WPA/WPA2-Enterprise, WPA3-Personal, UTF-8 SSID : Yes, Guest Network : Yes, WPS : Yes, Wi-Fi MAC address filter : Yes, Wireless scheduler : Yes</p> <p>WAN Internet connection Type : PPPoE, PPTP, L2TP, Automatic IP, Static IP, Port triggering : Yes, DMZ: Yes, DDNS: Yes</p> <p>LAN DHCP Server : Yes, IPTV : Yes, Manually assign IP address : Yes,</p> <p>Unshielded Twisted Pair (UTP) Cable - Minimum Length of 300 meter, Cat 6</p> <p>Solid State Drive (SSD) Capacity: 480 GB, - Interface: SATA 6Gb/s, Form Factor: 2.5 inch, Data Transfer: up to 500MB/s Read and 450MB/s Write</p> <p>HDD Docking Station Compatible with 2.5" and 3.5" hard disk drives (hdd) or solid state drives (SSD), USB 3.0 backward compatible with USB 2.0, 12V, 5A power adapter</p> <p>LED Monitor Screen Size: 22 inch, Resolution: 1920x1080 px, HDMI port: Yes, VGA port: Yes, Aspect Ratio: 16:9, Power Supply: AC 100 ~ 240 V</p> <p>HDMI Cable: Compatible with all devices with HDMI input, 5 meters, 1080p max resolution</p> <p>24-Port Gigabit Unmanaged Switch Standard and Protocol: IEEE 802.3i, IEEE 802.3u, IEEE 802.3ab , IEEE 802.3x, Interface: 24 10/100/1000Mbps RJ45 Ports (Auto Negotiation/Auto MDI/MDIX) Network Media: 10BASE-T: UTP category 3, 4, 5 cable (maximum 100m) 100BASE-TX/1000BASE-T: UTP category 5, 5e or above cable (maximum 100m) Switching Capacity: 48Gbps Packet Forwarding Rate: 35.7Mpps Power Supply: 100-240VAC, 50/60Hz Mounting: Rack Mountable</p> <p>8-Port Gigabit Switch Standard and Protocol: IEEE 802.3i, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3x, IEEE 802.1q, IEEE 802.1p Interface: 8 10/100/1000 Mbps RJ45 Ports AUTO Negotiation/AUTO MDI/MDIX Network Media: 10BASE-T: UTP category 3, 4, 5 cable (maximum 100m), EIA/TIA-568 100Ω STP (maximum 100m)</p>	<p>P_____</p> <p>P_____</p> <p>P_____</p> <p>P_____</p> <p>P_____</p> <p>P_____</p> <p>P_____</p>	<p>P_____</p> <p>P_____</p> <p>P_____</p> <p>P_____</p> <p>P_____</p> <p>P_____</p> <p>P_____</p>
--	--	---	---

<p>5 pcs.</p> <p>5 pcs.</p> <p>2 Boxes</p> <p>Lot 2 1 pc.</p> <p>10 pcs.</p>	<p>100BASE-TX: UTP category 5, 5e cable (maximum 100m) EIA/TIA-568 100Ω STP (maximum 100m) 1000BASE-T: UTP category 5, 5e, 6 or above cable (maximum 100m) EIA/TIA-568 100Ω STP (maximum 100m) Switching Capacity: 16 Gbps Packet Forwarding Rate: 11.9 Mpps Power Supply: External Power Adapter(Output: 5 VDC/ 0.6 A) USB Keyboard: Connectivity type: USB, System Requirements: Windows 7 / 8 / 8.1 / 10 USB Mouse: Connectivity type: USB, System Requirements: Windows 7 / 8 / 8.1 / 10 RJ-45 Connector: Compatible with Cat5, Cat5e onwards</p> <p>Aspirator Blower: Voltage: 220V-240V~50/60Hz, Input power: 400W, Max. blowing rate: 3.0m³/min Rubber Wire Cover: Material: Rubber, Color: Black, Size: 1000(L) x 140(W) x 20(H) mm / 39.37" x 5.51" x 0.79"</p> <p>Note: Send bill arrangement, Payment inclusive of tax</p> <p>Delivery Date : Thirty (30) calendar days upon receipt of Purchase Order</p>	<p>P_____</p> <p>P_____</p> <p>P_____</p> <p>P_____</p> <p>P_____</p> <p>P_____</p>	<p>P_____</p> <p>P_____</p> <p>P_____</p> <p>P_____</p> <p>P_____</p> <p>P_____</p>
--	--	---	---

Delivery Period: Thirty (30) calendar days upon receipt of Purchase Order.

Name of Company	
Complete Address	
Telephone No./Fax	
Printed Name of Owner/Authorized Representative and Signature	